







la raffinata semplicità del cotto, sempre attuale



P r o v e n c e

Lappato Anticato - Rettificato

the refined simplicity of cotto, always up to date.

la simplicité raffinée du cotto, toujours actuelle.

Die raffinierte Schlichtheit von Cotto ist immer aktuell.

la refinada sencillez del cotto, siempre actual.


30x30



Senese 30 x 30




Mosaico Mix 30x30 Matt



Salento 30 x 30




Mosaico Salento 30x30 Matt



Provence 30 x 30



Mosaico Senese 30x30 Matt




Andalusia 30 x 30




Algarve 30 x 30

DECORI - DECORS - DECORATIONS
DEKORE - DECOROS

Tozzetti decoro 5,7x5,7



Tozzetti Crystal 5,7x5,7



Fascia A 29,5 X 3



mediterranea

due tipi di superficie

two types of surface finishes
deux types de surface.
Zwei unterschiedliche Oberflächenausführungen
dos tipos de superficies




MATT




LAPPATO ANTICATO
RETTIFICATO

PEZZI SPECIALI - TRIMS - FORMTEILE - PIECES SPECIALES - PIEZAS ESPECIALES



pezzi speciali - trims - formteile - pieces speciales - piezas especiales

	30x30 12"x12" MATT	30x30 12"x12" LAPPATO ANTICATO RETTIFICATO	30x33 scalino step tread carreau de marche stufenplatte escalòn	33x33 scalino angolare step tread with corner carreau de marche pièce angulaire stufenplatte eckstück escalòn angular	8x30 battiscopa bull nose plinthe sockel rodapié	DX 8x30 Battiscopa scalino step tread bull nose plinthe carreau de marche sockel stufenplatte rodapié escalòn	SX
Algarve	●	●	●	●	●	●	●
Andalusia	●	●	●	●	●	●	●
Provence	●	●	●	●	●	●	●
Salento	●	●	●	●	●	●	●
Senese	●	●	●	●	●	●	●




misure - pesi ed imballi - packaging - emballages - verpackung - embalayes

	Pz/Scat	Mq/Scat	Kg./Scat	Scat/pallet
30 x 30	11	0,99	21,66	48



	CARATTERISTICHE TECNICHE - TECHNICAL CHARACTERISTICS CARACTERISTIQUES TECHNIQUES - TECHNISCHE EIGENSCHAFTEN CARACTERÍSTICAS TÉCNICAS	NORMA - REGULATION NORME - NORM NORMA	VALORE KEOPE* - KEOPE VALUE* VALEUR KEOPE* - WERT KEOPE* VALOR KEOPE*
	assorbimento d'acqua - water absorption - absorption d'eau wasseraufnahme - absorción de agua	UNI EN ISO 10545 - 3	< 0,1%
	resistenza al gelo - frost resistance - résistance au gel frostwiderstandsfähigkeit - resistencia al hielo	UNI EN ISO 10545 - 12	garantita - guaranteed garantie Garantiert - garantizada
	resistenza all'abrasione profonda - resistance to deep abrasion - résistance à l'abrasion profonde tiefenverschleißbeständigkeit - resistencia a la abrasión profunda	UNI EN ISO 10545 - 6	< 140 mm ³
	resistenza ai prodotti chimici - resistance to chemicals résistance aux produits chimiques chemikalienfestigkeit - resistencia a los productos químicos	UNI EN ISO 10545 - 13	garantita - guaranteed garantie Garantiert - garantizada
	resistenza alla flessione bending strnght résistance à la flexion biegefestigkeit resistencia a la flexión	UNI EN ISO 10545 - 04	≥ 45 N/mm ²



medi terranea



S. Statale 467, n. 21

42013 CASALGRANDE (RE)

Tel. +39.0522.997511

Fax +39.0522.997544 - 997545

Internet: www.keope.com

E-mail: info@keope.com